



**National Accreditation Board for
Testing and Calibration Laboratories**

CERTIFICATE OF ACCREDITATION

GENSTRU CONSULTANTS PVT. LTD.

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

**BHUMANTHAN, SURVEY NO.50/1, PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA**

in the field of

TESTING

Certificate Number: TC-5082

Issue Date: 29/12/2024

Valid Until: 28/12/2028

**This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued
satisfactory compliance to the above standard & the relevant requirements of NABL.**

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: GENSTRU CONSULTANTS PVT. LTD.

Signed for and on behalf of NABL



**N. Venkateswaran
Chief Executive Officer**



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

1 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Testing				
1	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	(Cube) Concrete	Compressive strength	IS 516(Part 1/sec 1)
2	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Compressive Strength	IS 3495 (Part 1)
3	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Dimension (Height)	IS 1077
4	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Dimension (Length)	IS 1077
5	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Dimension (Width)	IS 1077
6	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Efflorescence	IS 3495 (Part 3)
7	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Burnt Clay Bricks	Water Absorption	IS 3495 (Part 2)
8	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (OPC)	Soundness by Autoclave	IS 4031 (Part 3)
9	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Compressive strength	IS 4031 (Part 6)
10	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Consistency	IS:4031 (Part 4)
11	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Density of cement	IS 4031 (Part 11)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

2 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
12	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Fineness test (by blain air)	IS:4031 (Part 2)
13	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Setting time (final)	IS:4031 (Part 5)
14	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Setting time (initial)	IS:4031 (Part 5)
15	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Soundness (Autoclave)	IS: 4031 (Part 3)
16	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement (PPC)	Soundness (Le Chatelier)	IS: 4031 (Part 3)
17	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Compressive strength	IS 4031 (Part 6)
18	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Consistency	IS:4031 (Part 4)
19	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Density of cement	IS 4031(Part 11)
20	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Fineness by Blain air	IS:4031 (Part 2)
21	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Setting time (final)	IS:4031 (Part 5)
22	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Setting time (initial)	IS:4031 (Part 5)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

3 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
23	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Cement OPC	Soundness (Le Chatelier)	IS: 4031 (Part 3)
24	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	% Voids - Compacted density	IS 2386 (Part 3)
25	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	% Voids - Loose density	IS 2386 (Part 3)
26	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	10% fine value	IS: 2386 (Part 4)
27	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Abrasion value	IS: 2386 (Part 4)
28	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Bulk density (Compacted)	IS: 2386 (Part 3)
29	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Bulk density-Loose	IS 2386 (Part 3)
30	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Crushing value	IS: 2386 (Part 4)
31	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Elongation Index	IS: 2386 (Part 1)
32	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Flakiness Index	IS: 2386 (Part 1)
33	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Impact value	IS: 2386 (Part 4)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

4 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
34	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Sieve analysis (gradation) (IS Sieve 4.75 mm to IS Sieve 80 mm)	IS: 2386 (Part 1)
35	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Soundness by sodium sulphate and magnesium sulphate	IS: 2386 (Part 5)
36	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Specific gravity	IS: 2386 (Part 3)
37	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Coarse Aggregate	Water absorption	IS: 2386 (Part 3)
38	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	% Voids - Compacted density	IS 2386 (Part 3)
39	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	% Voids - Loose density	IS 2386 (Part 3)
40	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Bulk density (Compacted)	IS: 2386 (Part 3)
41	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Bulk density-Loose	IS 2386 (Part 3)
42	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Material finer than 75 microns	IS: 2386 (Part 1)
43	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Sieve analysis (gradation) (IS Sieve 0.075mm to IS Sieve 4.75 mm)	IS: 2386 (Part 1)
44	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Soundness by sodium sulphate and magnesium sulphate	IS: 2386 (Part 5)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

5 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
45	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Specific gravity	IS: 2386 (Part 3)
46	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Fine Aggregate	Water absorption	IS: 2386 (Part 3)
47	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Compressive Strength	IS 1727
48	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Consistency	IS 1727, (IS 4031 Part 4)
49	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Drying Shrinkage	IS 1727
50	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Final Setting Time	IS 1727, IS 4031 (Part 5)
51	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Fineness by Sieving	IS 1727
52	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Initial Setting Time	IS 1727, IS 4031 (Part 5)
53	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Lime Reactivity	IS 1727
54	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Soundness by Autoclave	IS 1727, IS 4031 (Part 3)
55	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Soundness by Lechatelier	IS 1727, IS 4031 (Part 3)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

6 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
56	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Specific Gravity	IS 1727
57	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash	Specific Surface by Blain's Air Permeability	IS 1727
58	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash Bricks	Compressive Strength	IS 3495 (Part 1)
59	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Flyash Bricks	Water Absorption	IS 3495 (Part 2)
60	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Ground Granulated Blast-furnace Slag (GGBS)	Density	IS 4031 (Part 11)
61	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Ground Granulated Blast-furnace Slag (GGBS)	Fineness by Blain's Air Permeability	IS 4031 (Part 2)
62	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Ground Granulated Blast-furnace Slag (GGBS)	Slag Activity Index	IS 4031 (Part 6)
63	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Paver Block	Compressive Strength	IS 15658
64	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Paver Block	Dimensional (Length)	IS 15658
65	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Paver Block	Dimensional (Thickness)	IS 15658
66	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Paver Block	Dimensional (Width)	IS 15658



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

7 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
67	MECHANICAL- BUILDING, INFRASTRUCTURE & CONSTRUCTION MATERIALS	Paver Block	Water Absorption	IS 15658
68	MECHANICAL- SOIL AND ROCKS	Clays and Soil	CBR	IS 2720 (PART 16)
69	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Consolidation Test (Cc)	IS 2720 (PART 15)
70	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Consolidation Test (Pc)	IS 2720 (PART 15)
71	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Direct Shear Test (Angle of Friction)	IS: 2720 (PART 13)
72	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Direct Shear Test (Cohesion)	IS: 2720 (PART 13)
73	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Free Swell Index	IS 2720 (PART 40)
74	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Grain Size Analysis (Hydrometer analysis: 2 microns to 75micron)	IS 2720 (PART 4) CI 5.2
75	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Grain Size Analysis (Wet & Dry Method: 4.75 mm to 75 micron)	IS 2720 (PART 4)
76	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Heavy Compaction (MDD)	IS 2720 (PART 8)
77	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Heavy Compaction (OMC)	IS 2720 (PART 8)
78	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Light Compaction (MDD)	IS 2720 (PART 7)
79	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Light Compaction (OMC)	IS 2720 (PART 7)
80	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Liquid Limit	IS 2720 (PART 5)
81	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Permeability by Falling Head	IS 2720 (Part 17)
82	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Plastic Limit	IS 2720 (PART 5)
83	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Shrinkage Limit	IS 2720 (PART 6)
84	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Specific Gravity	IS 2720 (PART 3/SEC- 1)
85	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Swelling Pressure by Consolidometer Method	IS 2720 (Part 41)

This is annexure to 'Certificate of Accreditation' and does not require any signature.



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

8 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
86	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Unconfined Compressive Strength	IS 2720 (PART 10)
87	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Unconsolidated Undrained Triaxial Test (Angle of Friction)	IS 2720 (PART 11)
88	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Unconsolidated Undrained Triaxial Test (Cohesion)	IS 2720 (PART 11)
89	MECHANICAL- SOIL AND ROCKS	Clays and Soil	Water Content	IS 2720 (PART 2)
90	MECHANICAL- SOIL AND ROCKS	Rock	Cerchar Abrsivity Index	Cerchar Method ASTM D 7625
91	MECHANICAL- SOIL AND ROCKS	Rock	Density	IS 13030
92	MECHANICAL- SOIL AND ROCKS	Rock	Modulus of Elasticity	IS 9221
93	MECHANICAL- SOIL AND ROCKS	Rock	Point load Index	IS 8764
94	MECHANICAL- SOIL AND ROCKS	Rock	Poisson's Ratio	IS 9221
95	MECHANICAL- SOIL AND ROCKS	Rock	Porosity	IS 13030
96	MECHANICAL- SOIL AND ROCKS	Rock	Slake durability index	IS 10050
97	MECHANICAL- SOIL AND ROCKS	Rock	Specific Gravity	IS 13030
98	MECHANICAL- SOIL AND ROCKS	Rock	Tensile Strength	IS 10082
99	MECHANICAL- SOIL AND ROCKS	Rock	Triaxial Compression Test - Cohesion	IS 13047
100	MECHANICAL- SOIL AND ROCKS	Rock	Triaxial Compression Test- (Angle of Internal Friction)	IS 13047
101	MECHANICAL- SOIL AND ROCKS	Rock	Unconfined Compressive Strength	IS 9143
102	MECHANICAL- SOIL AND ROCKS	Rock	Water Absorption	IS 13030
103	MECHANICAL- SOIL AND ROCKS	Rock	Water Content	IS 13030
104	MECHANICAL- SOIL AND ROCKS	Stones	Apparent Specific Gravity	IS: 1124
105	MECHANICAL- SOIL AND ROCKS	Stones	Compressive Strength	IS: 1121 (Part 1)



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

GENSTRU CONSULTANTS PVT. LTD., BHUMANTHAN, SURVEY NO.50/1,
PARKHE VASTI, HIRAI SITAI MANDIR ROAD, HINJEWADI, PUNE,
MAHARASHTRA, INDIA

Accreditation Standard

ISO/IEC 17025:2017

Certificate Number

TC-5082

Page No

9 of 9

Validity

29/12/2024 to 28/12/2028

Last Amended on -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
106	MECHANICAL- SOIL AND ROCKS	Stones	Porosity	IS: 1124
107	MECHANICAL- SOIL AND ROCKS	Stones	Scratch Hardness (Mho's Scale)	IS 13630 (Part 13)
108	MECHANICAL- SOIL AND ROCKS	Stones	True Specific Gravity	IS 1122
109	MECHANICAL- SOIL AND ROCKS	Stones	Water Absorption	IS: 1124



CERTIFICATE

This is to Certify that
Quality Management System
of

GENSTRU CONSULTANTS PRIVATE LIMITED

REGISTERED OFFICE: B 415 GANGA OSIAN SQUARE SURVEY NO 249/250, NEAR MANKAR
CHOWK WAKAD, PUNE - 411057, MAHARASHTRA, INDIA

LABORATORY: BHUMANTHAN, SURVEY NO. 50/1, PARKHE VASTI, NEAR HIRAI SITAI
MANDIR, HINJEWADI, PUNE- 411057, MAHARASHTRA INDIA

has been independently assessed by DBS
and is compliant with the requirement of:

ISO 9001:2015

For the following scope of activities:

**FIELD SURVEY AND INVESTIGATION, LABORATORY TESTING, DESIGN AND
ENGINEERING CONSULTANCY, INSTRUMENTATION AND MONITORING, PROJECT
MANAGEMENT SERVICES IN CIVIL ENGINEERING**

Certificate Number: Q-2052240910111

Date of Certification:	2nd September 2024
1st Surveillance Audit Due:	1st September 2025
2nd Surveillance Audit Due:	1st September 2026
Certificate Expiry:	1st September 2027

This Certificate is property of DBS Certifications and remains valid subject to satisfactory surveillance audits

Validity of this certificate may be checked at www.iafcertsearch.org after 7 working days of issue.

Head of Certification



CB-MS-6529



This Certificate is property of DBS Certifications Pvt. Ltd. and it remains valid subject to satisfactory surveillance audits.

DBS CERTIFICATIONS PVT. LTD.

142, 11nd Floor, Avtar Enclave, Paschim Vihar, Delhi-110063, (INDIA) info@dbscertification.com, www.dbscertification.com

ACCREDITED BY :

United Accreditation Foundation Inc, 400 North Center DR STE 202, Norfolk, VA 23502, United States of America